

2020 CERTIFIED SEED DIRECTORY



**Membership and Officers
Acres Applied for Certification
Summary of Certification Program and Regulations
Application Forms**

UTAH CROP IMPROVEMENT ASSOCIATION




TABLE OF CONTENTS

Page No.

ASSOCIATION OFFICERS	1
BOARD OF DIRECTORS	1
UCIA PERSONNEL	1
EX-OFFICIO BOARD MEMBERS.....	2
APPROVED CONDITIONING PLANTS	2
APPLICATIONS FOR CERTIFICATION	
Alfalfa	3
Barley	3
Forbs and Shrubs	4
Grass	5
Triticale	6
Wheat.....	7
MEMBERSHIP LIST.....	8
UTAH NATIVE SEED INDUSTRY MEMBERSHIP LIST	11
PROGRAM SUMMARY AND REGULATIONS FOR CERTIFIED SEED GROWERS	12
APPLICATION, MEMBERSHIP, AND ACREAGE FEES.....	20
TAGGING AND BULK CERTIFICATION FEES.....	21
WESTERN STATES CERTIFICATION AGENCIES CONTACT INFORMATION.....	22
APPLICATION FOR CERTIFICATION.....	23
PRE-COLLECTION APPLICATION & SITE INSPECTION REPORT	24
SITE IDENTIFICATION LOGS	
Part I.....	25
Part II.....	26
HARVESTING EQUIPMENT CLEANUP CHECKLIST	27

NOTE: FIELDS ENTERED FOR CERTIFICATION IN THIS PUBLICATION ARE SUBJECT TO FIELD INSPECTION AND SEED LOTS HARVESTED ARE SUBJECT TO OFFICIAL ANALYSIS AND/OR GRADING BEFORE BEING ELIGIBLE FOR COMPLETION OF CERTIFICATION.

SEED LOTS MAY NOT BE REPRESENTED AS “CERTIFIED” UNLESS AN OFFICIAL UTAH CROP IMPROVEMENT ASSOCIATION TAG IS AFFIXED TO EACH CONTAINER OR AN OFFICIAL UCIA BULK CERTIFICATE ACCOMPANIES A BULK SHIPMENT.

**UTAH CROP IMPROVEMENT ASSOCIATION
UTAH STATE UNIVERSITY
LOGAN UT 84322-4855**

Website: www.utahcrop.org

Email: ucia@usu.edu

ASSOCIATION OFFICERS

Justin Dean	President
Chris Allen	Vice President
Michael Bouck	Secretary-Manager

BOARD OF DIRECTORS

District No. 1

Utah North of I-80, Four (4) Directors

Bud Munns, Hansel Valley (Term 2020-2022)

Jeff Allen , Tremonton (Term 2020-2022)

Cody Hart, Bear River (Term 2019-2021)

*Chris Allen, Cove (Term 2019-2021)

District No. 2

Utah South of I-80, Three (3) Directors

*Justin Dean, Lehi (Term 2019-2021)

Eric (Zeke) Stevens, Ephraim (Term 2018-2020)

*Jason Stevenson, Ephraim (Term 2018-2020)

*Executive Committee Members

UCIA PERSONNEL

Michael Bouck*	Secretary-Manager	Office: (435) 797-2082
Email address:	michael.bouck@usu.edu	Fax: (435) 797-3376
		Cell: (435) 881-2058
David Brinkerhoff	Field Supervisor, Central/Southern UT	Office: (435) 799-5038
Email address:	david.brinkerhoff@usu.edu	Cell: (307) 354-8600
		Fax: (435) 283-5648
Keren Williams	Office Secretary-Bookkeeper	Office: (435) 797-2233
	Keren.williams@usu.edu	Fax: (435) 797-3376

EX-OFFICIO BOARD MEMBERS

Ron Larsen	Program Manager; Weed, Seed, and Feed Regulatory, Utah Department of Agriculture and Food.
David Hole	Cereals Breeder; Professor, Plants, Soils, and Climate Department, Utah State University.
Michael Bouck	Seed Certification Specialist; Utah Agricultural Experiment Station, Senior Researcher, Plants, Soils, and Climate Department, Utah State University.
Earl Creech	Extension Agronomist; Assistant Professor, Plants, Soils, and Climate Department, Utah State University.

2020 APPROVED CONDITIONING PLANTS

Maple Leaf Industries
450 S 50 E
Ephraim UT 84627
(435) 283-4400

Stevenson Intermountain Seed
488 S 100 E
Ephraim UT 84627
(435) 283-6639

Oasis Seed Cooperative
290 N 1000 W
Delta UT 84624-6815
(435) 864-3614

Western Seeds Inc
85 N 1600 E
Tremonton UT 84337
(435) 257-5460

Utah Seed
10220 W 11600 N
Tremonton UT 84337
(435) 854-3720

Wheatland Company
1780 N Hwy 38
Brigham City UT 84302
(435) 734-9191

Mountain West Seed
PO Box 681
Ephraim UT 84627
(435) 283-4704

UTAH CROP IMPROVEMENT ASSOCIATION

APPLICATIONS FOR CERTIFICATION

FOR THE 2020 CROP

Seed Class to be Produced

F = Foundation
R = Registered
C = Certified

T = Tested
S = Selected
SI = Source Identified

┐
≡ (G1), (G2), (G3) = Generation in the Field
┘

2020 ALFALFA

VARIETY	APPLICANT	COUNTY	CERT NO.
Proprietary	Blue River Organic Seed	Emery	AL-30520
	Blue River Organic Seed	Emery	AL-30620
	Forage Genetics	Cache	AL-30720
	Forage Genetics	Cache	AL-30820
	Paul Hubbard	Oneida, ID	AL-30920
Experimental	USDA/ARS	Cache	AL-28820
	USDA/ARS	Cache	AL-29820

2020 BARLEY

VARIETY	APPLICANT	COUNTY	CERT NO.
Goldeneye (PVP)*	Western Seeds	Box Elder	B-520
	Western Seeds	Lincoln WY	B-1720
	Western Seeds	Lincoln WY	B-1820
	Rex Larsen	Utah	B-1120
	Rex Larsen	Utah	B-1220
	Rex Larsen	Utah	B-1320
	Rex Larsen	Utah	B-1420
Baldwin (PVP)	Wheatland Company	Box Elder	B-120
	Wheatland Company	Box Elder	B-220
Claymore (PVP)	Allen Seed Grain	Cache	B-820
	Allen Seed Grain	Cache	B-920
	Dee's Dairy	Weber	B-1020
Proprietary	Allen Seed Grain	Cache	B-720
	Western Seeds	Box Elder	B-420
	Western Seeds	Box Elder	B-620
	Western Seeds	Box Elder	B-1520
	Wheatland Company	Box Elder	B-320
	UCIA	Cache	B-1620
	Western Seeds	Box Elder	B-1920
	Western Seeds	Box Elder	B-2120111

*PVP – Plant Variety Protection granted or applied for; seed may be sold by variety name only as a class of Certified seed.

**2020
FORBS AND SHRUBS**

VARIETY	APPLICANT	COUNTY	Cert No.
SAINFOIN			
Shoshone	BoDee Udy	Box Elder	F-7620
	Hubbard & Company	Oneida, ID	F-7820
	Hubbard & Company	Oneida, ID	F-10220
	Hubbard Land & Livestock	Oneida, ID	F-8920
	Hubbard Land & Livestock	Oneida, ID	F-9020
	Hubbard Land & Livestock	Oneida, ID	F-9120
Delaney	Niels Hansen	Sanpete	F-9820
	Hubbard Land & Livestock	Oneida, ID	F-10020
KOCHIA (PROSTRATE)			
Immigrant	Stevenson Intermountain Seed	Sanpete	S-3320
	Stevenson Intermountain Seed	Sanpete	S-5220
	Bud Munns	Box Elder	S-7320
	Bud Munns	Box Elder	S-7420
KOCHIA (FORAGE)			
Snowstorm	Tim Munns	Box Elder	S-5520
	Kim Leany	Washington	S-5720
	USDA/ARS	Juab	S-6220
	USDA/ARS	Box Elder	S-6520
	Bud Munns	Box Elder	S-6620
	Kim Leany	Washington	S-6820
	Bud Munns	Box Elder	S-6920
PRAIRIE CLOVER (SEARLS')			
Bonneville	USDA/ARS	Cache	F-9320
PRAIRIE CONEFLOWER (SEARLS')			
PP Population	USDA/ARS	Cache	F-8320
MILKVETCH (CICER)			
Experimental	USDA/ARS	Cache	F-8420
WESTERN PRAIRIE CLOVER			
Spectrum Germplasm	USDA/ARS	Cache	F-9520
Majestic	USDA/ARS	Cache	F-9620
YARROW (WESTERN)			
Yakima	USDA/ARS	Cache	F-9420

**2020
GRASS**

	APPLICANT	COUNTY	Cert No.
MEADOW BROME			
Cache (PVP)	USDA/ARS	Cache	G-28920
	USDA/ARS	Cache	G-33420
	USDA/ARS	Juab	G-34320
SMOOTH BROME			
Experimental	Utah Seed	Box Elder	G-36420
NEEDLEGRASS (GREEN)			
Cucharas	USDA/ARS	Cache	G-36920
	USDA/ARS	Cache	G-37420
SQUIRRELTAIL (BOTTLEBRUSH)			
Turkey Lake	USDA/ARS	Cache	G-37120
WHEATGRASS (BLUE BUNCH)			
Columbia	USDA/ARS	Cache	G-34220
WHEATGRASS (CRESTED)			
Hycrest II (PVP)	USDA/ARS	Cache	G-29520
	USDA/ARS	Cache	G-33220
	USDA/ARS	Juab	G-34420
	Hubbard Land & Livestock	Oneida, ID	G-34720
	Hubbard Land & Livestock	Oneida, ID	G-36120
	Hubbard Land & Livestock	Oneida, ID	G-36220
WHEATGRASS (INTERMEDIATE)			
Rush	Hubbard & Company	Oneida, ID	G-32220
	Hubbard & Company	Oneida, ID	G-32320
	Hubbard & Company	Oneida, ID	G-32420
	Hubbard & Company	Oneida, ID	G-35020
	Hubbard & Company	Oneida, ID	G-35120
	Hubbard Land & Livestock	Oneida, ID	G-33120
	Hubbard Land & Livestock	Oneida, ID	G-33020
	Hubbard Land & Livestock	Oneida, ID	G-33620
	Hubbard Land & Livestock	Oneida, ID	G-34820
WHEATGRASS (R/S HYBRID)			
NewHy	Utah Seed	Box Elder	G-35220
	USDA/ARS	Box Elder	G-35620
WHEATGRASS (SIBERIAN)			
Vavilov (PVP)	David Harris	Box Elder	G-15720
Vavilov II (PVP)	USDA/ARS	Juab	G-34620
	USDA/ARS	Cache	G-29920
Vavilov II (PVP)	Niels Hansen	Sanpete	G-30320

	Niels Hansen	Sanpete	G-30820
	Darrell Cook	Utah	G-31420
	Hubbard & Company	Oneida ID	G-32620
	Hubbard & Company	Oneida, ID	G-34920
	Hubbard & Company	Oneida, ID	G-36720
	Hubbard & Company	Oneida, ID	G-36820
	Hubbard Land & Livestock	Oneida, ID	G-33720
	Hubbard Land & Livestock	Oneida, ID	G-33820
	Hubbard Land & Livestock	Oneida, ID	G-36020
	USDA/ARS	Cache	G-37020
Stabilizer	USDA/ARS	Cache	G-31720
	USDA/ARS	Cache	G-35520
	David Harris	Box Elder	G-35720
WHEATGRASS (SLENDER)			
First Strike	Hubbard Land & Livestock	Oneida, ID	G-36320
WHEATGRASS (SNAKE RIVER)			
Discovery	USDA/ARS	Cache	G-31120
WHEATGRASS (THICK SPIKE)			
Bannock II	USDA/ARS	Cache	G-31620
	USDA/ARS	Cache	G-35420
Critana	Darrell Cook	Utah	G-36620
WILDRYE (BASIN)			
UDWR Tetra Germplasm (S)	UDWR	Sanpete	G-30020
	Todd Ballard	Cache	G-31520
Trailhead II	USDA/ARS	Cache	G-34120
WILDRYE (RUSSIAN)			
Bozoisky Select	David Harris	Box Elder	G-28620
Bozoisky II (PVP)	USDA/ARS	Juab	G-34520
	David Harris	Box Elder	G-30620
	Hubbard & Company	Oneida, ID	G-38020

**2020
BEANS**

VARIETY	APPLICANT	COUNTY	CERT NO.
LRK			
California Early	Treasure Valley Seed	Franklin ID	BE-24200019
09363	Treasure Valley Seed	Franklin ID	BE-24200020
	Treasure Valley Seed	Franklin ID	BE-24200021
	Treasure Valley seed	Franklin ID	BE-24200022
PINTO			
Island	Treasure Valley Seed	Franklin ID	BE-24200025
	Treasure Valley Seed	Franklin ID	BE-24200024
	Treasure Valley Seed	Franklin ID	BE-24200023
Vibrant	ADM Edible Beans	Franklin ID	BE-24200012

**2020
OATS**

Swan	AgWest Services	Sanpete	O-120
	AgWest Services	Sanpete	O-220
	AgWest Services	Sanpete	O-320
	AgWest Services	Sanpete	O-420
	AgWest Services	Sanpete	O-520
	AgWest Services	Sanpete	O-620
Monida	Wheatland Seed Company	Cache	O-920
	Western Seed	Lincoln WY	O-1020

**2020
TRITICALE**

VARIETY	APPLICANT	COUNTY	CERT NO.
Proprietary	Wheatland Company	Oneida ID	T-420
	Wheatland Company	Box Elder	T-220
	Wheatland Company	Box Elder	T-320
	Wheatland Company	Box Elder	T-520
	Wheatland Company	Box Elder	T-620
	Wheatland Company	Box Elder	T-2920
	Western Seed	Box Elder	T-720
	Maple Leaf	Utah	T-3020
	Maple Leaf	Nye NV	T-120
	AgWest Services	Cache	T-820
	AgWest Services	Cache	T-920
	AgWest Services	Cache	T-1020
	AgWest Services	Cache	T-1120
	AgWest Services	Cache	T-1220
	AgWest Services	Box Elder	T-1320
	AgWest Services	Box Elder	T-1420
	AgWest Services	Box Elder	T-1520
	AgWest Services	Box Elder	T-1620
	AgWest Services	Box Elder	T-1720
	AgWest Services	Box Elder	T-1820
	AgWest Services	Box Elder	T-1920
	AgWest Services	Box Elder	T-2020
	AgWest Services	Box Elder	T-2120
	AgWest Services	Box Elder	T-2220
	AgWest Services	Box Elder	T-2320
	AgWest Services	Box Elder	T-2420
	AgWest Services	Box Elder	T-2520
	AgWest Services	Box Elder	T-2620
	AgWest Services	Box Elder	T-2720
	AgWest Services	Box Elder	T-2820
	Barkley Seed Inc	Cache	T-3120
	Barkley Seed Inc	Millard	T-3220
	Barkley Seed Inc	Box Elder	T-3320

	Barkley Seed Inc	Box Elder	T-3420
	Barkley Seed Inc	Box Elder	T-3520
	Barkley Seed Inc	Beaver	T-3620

**2020
WHEAT**

VARIETY	APPLICANT	COUNTY	CERT NO.
Curlew	Western Seeds	Box Elder	W-2120
Greenville (PVP)	Wheatland Company	Box Elder	W-320
Promontory	Western Seeds	Box Elder	W-2220
Stephens	Western Seeds	Box Elder	W-720
	Western Seeds	Box Elder	W-520
Utah 100	Western Seeds	Box Elder	W-2320
Proprietary	Western Seeds	Box Elder	W-620
	Western Seeds	Box Elder	W-820
	Western Seeds	Box Elder	W-920
	Western Seeds	Box Elder	W-1720
	Western Seeds	Box Elder	W-1820
	Western Seeds	Box Elder	W-1920
	Western Seeds	Box Elder	W-2020
	Western Seeds	Box Elder	W-2520
	Wheatland Company	Box Elder	W-120
	Wheatland Company	Box Elder	W-220
	Wheatland Company	Box Elder	W-420
	Allen Seed Grain	Cache	W-1220
	Allen Seed Grain	Cache	W-1320
	Allen Seed Grain	Cache	W-1420
	Allen Seed Grain	Cache	W-1520
	Allen Seed Grain	Cache	W-1620
	AgWest	Box Elder	W-1020
	AgWest	Box Elder	W-1120
	Western Seeds	Box Elder	W-2420
	Juniper Dry Farm	Cassia ID	W-2620

2020
UTAH CROP IMPROVEMENT ASSOCIATION
Membership List

Grower	Address	Telephone
AgWest Services	2670 N 6800 W Corinne UT 84307	(435) 660-1852
All Ag LLC Joel Swallow	4211 W 2100 N Fillmore UT 84631	(435) 253-1336
Allen Acres Jeff Allen	9200 N 7333 W Tremonton UT 84337	(435) 730-0846
Allen Seed Grain Chris Allen	12616 N 1200 E Cove UT 84320	(435) 258-2529
B&R Livestock Cody Hart	PO Box 425 Bear River City UT 84301	(435) 230-4826
Todd Ballard	3150 W 4000 N Benson UT 84335	(435) 770-8146
Barton Seed Russell Barton	2355 E Christensen Lane Ephraim UT 84627	(435) 851-2347 (cell)
Blue River Organic Seed	2326 230 th Ames IA 50014	(402) 980-8357
Brickyard Seed Niels Hansen	242 S 200 E Nephi UT 84648	(385) 404-9421
Burbank Farms Brad Burbank	10539 N Hwy 38 Deweyville UT 84309	(435) 452-1755
Capener Farms Jason Capener	PO Box 162 Riverside UT 84334	(435) 279-3599
Josh Capener	PO Box 133 Riverside Ut 84133	(435) 452-2993
Cedar Mountain Farms Travis Mayes	PO Box 673 Snowville UT 84336	(530) 925-9241
Jonnie Carter	171 East Union Manti UT 84642	(435) 851-7562
Darrell Cook	PO Box 417 Cedar Fort, UT 84013	(801) 766-9597
Dee's Dairy	1845 S Morgan Valley Dr Morgan UT 84050	(801) 829-6523
Tim Douglas		
Elberta Valley Ag Paul Munns	PO Box 128 Elberta UT 84626	(801) 420-0731
David Gibson	PO Box 203 Lund NV 89317	(775) 238-0592
Granite Seed Josh Buck	1697 W 2100 N Lehi UT 84043	(801) 768-4422
Hansen Farms Jeremy Hansen	4400 W 11335 N Tremonton UT 84337	(435) 279-6446
Dave Harris	10101 S Old Hwy 191 Malad ID 83252	(208) 766-3027
David Harris	PO Box 185 Tremonton UT 84337	(435) 279-6979

Nathan Hege	8375 W 10400 N Tremonton UT 84337	(435) 452-1312
KR Holmes Dairy Greg Holmes	3907 N 4000 W Corinne UT 84307	(435) 744-5130
Hubbard & Company, Inc Bill Hubbard	6470 N Arbon Valley Rd Holbrook ID 83243	(208) 698-3360
Hubbard Land & Livestock Bruce Hubbard	5530 N Arbon Valley Rd Holbrook ID 83243	(208) 604-0243
Intermountain Seed Eric Christensen	PO Box 62 Ephraim UT 84627	(435) 283-4703
Nathan Iverson Farms	7935 N 4600 W Elwood UT 84337	(435) 279-4409
Todd Jensen		
Johnson Farms & Mfg, LLC Kelby Johnson	3120 N 3200 W Benson UT 84335	(435) 754-5638
Juniper Dry Farm Bryce Campbell		
Chris Karren Farms LLC	PO Box 86 Lewiston UT 84320	(435) 764-2947
Kesko Farms Andrew Olsen	120 West Center Street Ephraim UT 84627	(435) 851-0330
Kim Leany	1973 S 2700 E St. George UT 84790	kleany@sginet.com (435) 628-2217
Rex Larsen	7605 S 1600 W Spanish Fork UT 84660	(801) 798-2514
Maple Leaf Jason Stevens	450 S 50 E Ephraim UT 84627	(435) 283-4400
Maughan Seed Brad Maughan	194 West 300 South Manti UT 84642	(435) 835-0401
Minersville Feed & Supply Inc Mark Truman	88 E 100 S Minersville UT 84752	(435) 386-2222
Moki Valley Farms Matt Wilcock	PO Box 731 Snowville UT 84336	(435) 279-0844
Mountain West Seed Jeremy Andreason	PO Box 681 Ephraim UT 84627	(435) 283-4704
Bud Munns	PO Box 717 Snowville UT 84336	(435) 279-0984
Tim Munns	PO Box 670 Snowville UT 84336	(435) 279-4420
Native Seed Kyle Wagstaff	7361 Pineridge Dr Park City UT 84772	(435) 640-0557
Nelson Farm & Livestock	4815 W 10400 N Tremonton UT 84337	(435) 237-9370
Noosun Dairy Jason Hancock	2118 N 6000 W Corinne UT 84307	(801) 644-1378
Norman Farms Blake Norman	6822 W 2400 N Corinne UT 84307	(435) 720-0621
Carl Petersen	9175 N 5200 W Tremonton UT 84337	

Poulson Farms Dennis Poulson	PO Box 625 Snowville UT 84336	(435) 872-8191
Premier Seed Justin Dean	1969 Hidden Creek Drive Lehi UT 8043	(801) 592-7225
Chris Reeder	1150 N 2600 W Brigham City UT 84302	(435) 237-9336
Morgan Reeder	3760 N 3300 W Brigham City UT 84302	(435) 730-2323
Mark Richards	5090 W 15200 N Garland UT 84312	
Curt & Kerry Rozman	PO Box 757 Moab UT 84532	(435) 650-3193
Mike Spackman	270 S 1200 E Trenton UT 84338	(435) 512-3070
Sterner Seed	668 W 3100 S Bountiful UT 84010	
Stevenson Intermountain Seed – Ron Stevenson	488 S 100 E Ephraim UT 84627	(435) 283-6639
Carrie Torrey	PO Box 750398 Torrey UT 84775	carrietorrey87@gmail.com
Treasure Valley Seed Co.	PO Box 129 Hazelton ID 83335	(208) 829-5411
UDWR – Great Basin Expt. Station -- Danny Summers	494 W 100 S Ephraim UT 84627	dannysummers@utah.gov (435) 283-4441
USDA/ARS Forage & Range Res Lab – Craig Rigby	6300 Old Main Hill Logan UT 84322-6300	(435) 797-
Utah Botanical Center Richard Andersen	725 S Sego Lily Drive Kaysville UT 84037	(801) 593-8969 (801) 593-5330 (fax)
BoDee Udy	PO Box 88 Fielding UT 84311	(435) 279-3109
Utah Seed Orson Boyce	PO Box 245 Tremonton UT 84337	(435) 854-3720 (435) 854-3724 (fax)
Bryan Ward	7185 N 7200 W Tremonton UT 84337	(435) 730-0695
Western Seeds, Inc	85 N 1600 E, PO Box 125 Tremonton UT 84337	(435) 257-5460 (435) 257-1527 (fax)
Wheatland Company	1780 N Hwy 38 Brigham City UT 84302	(435) 734-9191 (435) 723-1903 (fax)
Wickham Boys Farms	5659 N 7000 W Cache Junction UT 84304	(435) 760-6863
Willis Ranch James Willis	Cokeville WY	(307) 270-7308
Jed Woodward	PO Box 124 Newton UT 84327	(435) 760-

**UTAH NATIVE SEED INDUSTRY MEMBERS PARTICIPATING
IN CERTIFIED WILDLAND COLLECTED SEED PROGRAM**

Barton Seed
Russell Barton
PO Box 493
2355 E Christensen Lane
Ephraim UT 84627
(435) 851-2347
rbarton@mail.manti.com

Granite Seed
Josh Buck
1697 West 2100 North
Lehi UT 84043
(801) 768-4422
josh@graniteseed.com

Intermountain Seed Company
Eric Christensen
270 West 300 North
PO Box 62 (FC Mail)
Ephraim UT 84627
(435) 283-4703
ecc3@mail.manti.com

Maple Leaf Industries
Jason Stevens
450 South 50 East
Ephraim UT 84627
(435) 283-4701
jason@cut.net

Maughan Seed
Brad Maughan
194 West 300 South
Manti UT 84642-0072
(435) 835-0401
maughanseed@mail.manti.com

NP Seed
Jason Rhodes
527 East 500 North
Ephraim UT 84627
(435) 851-1023
npseed@gmail.com

Nebo Seed
Jason Clark
536 North 470 East

Ephraim UT 84627
(435) 851-3156

Native Seed
Kyle Wagstaff
7361 Pineridge Drive
Park City UT 84772
(435) 640-0557
kbw1856@hotmail.com

Plummer Seed
Mark Plummer
228 East 200 North
PO Box 70
Ephraim UT 84627
(435) 283-4844
plummerseedco@hotmail.com

Stevenson Intermountain Seed
Ron Stevenson
488 South 100 East
Ephraim UT 84627
(435) 283-6639
(435) 283-4155 (fax)
ron@SIseed.com

Utah Seed
Orson Boyce
10220 West 11600 North
PO Box 245
Tremonton UT 84337
(435) 854-3720
(435) 854-3724(fax)
oboyce@utahseed.com

Mountain West Seed

Jeremy Andreasen
350 North 200 West
PO Box 681
Ephraim UT 84627
(435) 283-4704
mtnwseed@cut.net

Premier Seed Company
Justin Dean
1969 Hidden Creek Drive
Lehi UT 84043
(801) 592-7225
justin@premierseedcompany.com

PROGRAM SUMMARY AND REGULATIONS FOR CERTIFIED SEED GROWERS

NOTE: THIS IS A SUMMARY OF THE CERTIFICATION REGULATIONS. A COMPLETE COPY OF THE UTAH SEED CERTIFICATION REQUIREMENTS AND STANDARDS IS AVAILABLE UPON REQUEST.

WHAT IS CERTIFIED SEED?

Certified seed is high-quality seed which has superior production potential as defined by the following important factors:

1. Known genetic source and identity and seed origin.
2. High genetic purity
3. High germinating ability
4. Minimum amount of other crop seed, weed seed, and inert matter.
5. Known presence or absence of certain seed-borne diseases
6. Free of noxious weed seeds

The certification process is accomplished by accurate record keeping and a series of inspections conducted in the field, seed conditioning facility, and seed testing laboratory. Seed certification is a service performed by the Utah Crop Improvement Association (UCIA) in cooperation with the Utah Agricultural Experiment Station and the Utah Dept. of Agriculture and Food. Only seed produced in accordance with the standards and regulations of the Utah Crop Improvement Association and labelled with an official tag or bulk certificate can be represented as Utah certified seed.

Warranty: Since the use of certified seed is beyond the control of the Utah Crop Improvement Association, no warranty of any kind is made regarding the quality or performance of the seed beyond the representation that the seed was produced in compliance with the Requirements and Standards of the Utah Crop Improvement Association for the class or germplasm type indicated on the tag. Compliance is based on and limited to determining the eligibility of the seed source, and the results of representative field inspections and seed sample analysis.

GROWING OR WILD COLLECTING CERTIFIED SEED

Anyone may apply to grow or wild collect certified seed. Contact should be made with a representative of UCIA before field planting or seed collecting for advice concerning the eligibility of the seed, the land, and any current information concerning the certification program.

Growing certified seed involves filing an application, payment of fees, and conforming to requirements pertaining to land, isolation, seed, weeds and disease.

Collecting wildland seed requires knowledge of specific species and seed quality, and harvesting equipment. Seed may be harvested from any location as long as proper permit/permission is acquired, pre-collection application filed, and site identification logs and documentation is kept current.

Most of the certified seed produced or wild collected in Utah is done by prior arrangement with a seed broker/dealer/conditioner.

CERTIFIED SOD

Certification for genetic identity and purity of seeded or vegetative sod now offered by UCIA. Requirements and standards have been written and have been accepted by the Utah sod industry. Single varieties and blends of the same grass species, and mixtures of different species, may be certified. Contact UCIA for more details.

APPLICATIONS, MEMBERSHIP, AND FILING DATES

Applications for grains and certification renewal of perennial crops are due May 15, but may be accepted

with a \$100 late fee until May 31. All other crops, including the seedling year for perennial crops, are due June 15, but may be accepted with a \$100 late fee until June 30. Growers of perennial seed crops must apply each year, whether or not seed production is intended in that particular year, if the field is to remain eligible for certification in a later year. Certified sod growers must submit an application within 30 days of planting so that a timely seeding inspection can be scheduled.

Applications for wild collected seed are in the form of a Pre-Collection Application for collectors or seed broker/conditioners (anyone desiring to directly obtain yellow Source Identified tags). Also, a Site Identification Log is filled out jointly by the applicant and UCIA Representative as the site is inspected and seed is harvested, conditioned, sampled, bagged, and tagged.

Application forms for both field produced and wildland collected seed are included in this directory and may also be obtained from the UCIA website or from the following:

1. Utah Crop Improvement Association
Utah State University
4855 Old Main Hill
Logan, Utah 84322-4855
Phone: (435) 797-2082 or (435) 797-2233
Fax: (435) 797-3376
Website: www.utahcrop.org
Email: keren.williams@usu.edu
2. Michael Bouck
Utah Crop Improvement Assn
4855 Old Main Hill
Logan, UT 84322-4855
Cell: (435) 881-2058
Fax: (435) 797-3376
Email: michael.bouck@usu.edu
3. David Brinkerhoff
Utah Crop Improvement Assn
325 West 100 North
Ephraim, UT 84627
Office: (435) 799-5038
Email: david.brinkerhoff@usu.edu

A completed certification application form for field plantings (including sod) serves as an

application for membership in the UCIA for both the grower and contractor. A completed conditioner application form serves as a membership application for certified seed conditioners. A completed Site Identification Log form serves as an application for UCIA membership for the applicant (collector, dealer, vendor, or broker/conditioner).

A certification number is assigned for each field or collection site listed on the application(s). Application fees are outlined in the schedule at the end of this summary.

RESPONSIBILITY OF MEMBERSHIP

No practical system has yet been devised for certification of crop seeds that is perfect. The various inspections, sampling, and tests can only minimize the opportunity for carelessness or deception. For this reason, the seed or sod producer and/or conditioner must accept ultimate responsibility for assurance that the UCIA Requirements and Standards have been met in every phase of seed production, conditioning, tagging, and marketing.

VARIETY ELIGIBILITY

Only crop varieties approved for certification by a National Variety Review Board or an official seed certification agency, or accepted by the Plant Variety Protection Office, are eligible for certification in Utah. A list of current varieties certified in Utah is available from the UCIA. Most native plant species are eligible for wild collection and may also be planted for field seed production according to definitions and regulations (Pre-Variety Germplasm Requirements and Standards) available from the UCIA.

PLANT VARIETY PROTECTION

Under the Plant Variety Protection Act of 1970 (revised 1994), an originator, developer, or owner of a variety may obtain legal protection for that variety exercising one of two enforcement options:

1. The authorized agent may sell either certified or non-certified seed of the variety, with a label stating "Unauthorized propagation prohibited – U.S. Variety Protection applied for" (or ".... U.S. Protected Variety", if the certificate has been issued). Infringement of the patent is litigated by civil action.

2. The authorized agent may elect to utilize the provisions of Title V of the Federal Seed Act, which stipulates that the variety may be sold by variety name only as a class of Certified seed. The labeling is similar to the non-certification option except for the added statement “To be sold by variety name only as a class of Certified Seed”. Infringement of the Patent in this case is a violation of the Federal Seed Act and thus has advantages for enforcement as compared with civil litigation.

NOTE 1: It is the responsibility of the seller to publicize that the variety is protected and have it labeled properly. Some of the varieties eligible for certification in Utah are protected, and are so designated in the current variety list. The following logo, when it appears on a seed bag, tag, or container, means the seed is protected by the PVP Act.



NOTE 2: An exception to the PVP Act permits a farmer to save and plant his own seed of a protected variety on his own farm. The 1970 PVP Act also allowed farmer-to-farmer sales with certain limitations, but the 1994 revision prohibits farmer-to-farmer sales without the express permission of the variety owner or agent.

CLASSES OF CERTIFIED SEED AND OTHER PROPAGATIVE MATERIALS

In general, four classes of certified seed for named and released crop varieties are recognized by seed certification agencies: Breeder, Foundation, Registered and Certified. A distinctive tag is attached to each bag to denote the seed class.

1. **Breeder seed (white tag)** -- is very limited in amount and is directly produced or controlled by the originating plant breeder or institution. This seed is normally not available in commercial channels. Breeder seed provides the source for the increase of Foundation seed.
2. **Foundation seed (white tag)** -- is multiplied from breeder seed and is grown under the supervision of a Foundation Seed Program of either the public or private institution controlling the variety.

3. **Registered seed (purple tag)** -- is the progeny of either Breeder or Foundation seed. Registered seed is available in regular market channels and is normally required to produce certified seed. Many perennial crop varieties do not have a registered class specified.
4. **Certified seed (blue tag)** -- is the most commonly encountered certified seed and is the large-volume class sold to farmers for producing a commercial crop of the variety. It is the progeny of either Foundation or Registered seed stock. Under certain circumstances the progeny of Certified seed can be recertified as long as the genetic identity, varietal purity and other standards are maintained. In certain cases, a “substandard” blue tag may be issued; see explanation under “Sealing and Tagging – Final Certification.”

Vegetatively produced crops such as potatoes and mint have a different generation nomenclature and tagging system. Tags for certified seed potatoes are blue, which indicates a U.S. No. 1 Seed Grade, and generations in the field are listed as G1 (Nuclear), G2, G3, G4, and G5. A yellow tag indicates a Contract Grade, meaning that the buyer and seller can negotiate size and quality factors but varietal identity and purity, disease tolerances, and generation designation remain the same.

Nomenclature for “Pre-Variety Germplasm” (germplasm entities of a species being produced and marketed but not meeting AOSCA tagging qualifications as a released variety; may be either wild collected or field grown seed) are as follows: Source Identified, Selected, and Tested. Wild collected seed from a natural or naturalized stand is by definition G0. Generations of such germplasms grown in field cultivation are indicated by G1, G2, and G3, etc. Generations are noted on the distinctive tag color for each type along with germplasm and/or collection area designation.

1. **Source Identified Germplasm (yellow tag)** -- is seed or other propagating materials collected from natural stands or produced in seed fields where no selection or testing of the parent population has been made.
2. **Selected Germplasm (green tag)** -- is the progeny of phenotypically selected plants that have promise, but not proof, of heritability of distinctive traits, and may be collected from

natural stands or produced in seed fields.

3. **Tested Germplasm (blue tag)** -- is the progeny of plants which have been tested for stable heritability of distinctive genetic traits, and may be collected from natural stands or produced in seed fields.

LAND REQUIREMENTS AND ISOLATION

The previous crop history of the land must be known. The land in question must not have been planted to another variety (or germplasm selection) of the same crop for a certain length of time as defined in the individual crop standards.

The isolation (distance from other varieties or crops) requirements must be considered before planting. Self-pollinated crops need only a definite boundary (see unit of certification below). If the crop is cross-pollinated, it must be isolated from other varieties of the same crop kind or species, or an isolation strip may be cut for hay or for non-certified seed. That part of the crop which meets certification requirements for isolation must have a clearly defined boundary.

The unit of certification is an enclosed field, or a portion of a field separated from the remainder by a definite boundary such as a fence, ditch, road, or barren strip.

PLANTING THE SEED

Growers planning to produce certified seed of named crop varieties must plant Foundation or Registered seed. (In some circumstances, the Certified class of seed may be replanted to produce certified seed, but only with prior permission of the UCIA). Generations of vegetatively propagated crops or Pre-Variety Germplasm (Source Identified, Selected and Tested) seed eligible to plant for certified seed production is designated for each species or specific germplasm.

Bulk sales certificates or the certification tags attached to the seed which is planted for the production of any class of certified seed must be saved and the certificate, or a representative tag, attached to the application form.

The drill or precision planters used to plant the seed must be thoroughly cleaned prior to planting and may

be inspected at the discretion of a UCIA representative.

FIELD MANAGEMENT

After the field is planted, the grower should inspect the field periodically during the growing season. The field should be kept relatively free of weeds, particularly those weeds which cannot be separated in the seed cleaning process. (See section on "Noxious Weeds".) Roguing (the removal of other varieties, crops, weeds, and diseased plants) should be done as necessary; looking at the field regularly is the only way to determine the necessity of roguing. The grower (or contracting seed company) is responsible for any roguing which may be required.

FIELD INSPECTION

Seed fields and turf fields grown for certification will be inspected by a representative of the Utah Crop Improvement Association. Small grains are inspected after the crop is fully headed and approaching maturity in order to identify any crop mixtures which may be present. The ideal period for inspecting alfalfa and many other crops is during the blossom stage. A minimum of two field inspections is required for potato and dry bean fields.

Source Identified wildland collection sites are subject to inspection before, during, or after seed collection has been accomplished. Pre-variety germplasm seed production fields (and Selected or Tested natural stands) will be inspected at the blossom stage or just before harvest, depending on the species and specific circumstances.

Every effort will be made to inspect fields early enough to avoid any delay in harvesting the crop; however, the grower is responsible for making sure his field has been inspected before it is harvested.

The grower should give sufficient advance notice to the representative of the Crop Improvement Association or inspector so the inspection can be scheduled. Any condition which prevents an accurate inspection of the field, such as excessive weed growth, insect damage, poor growth, or diseases and lodging of the crop, can be cause for rejection.

HARVESTING AND HANDLING OF SEED

The harvesting machinery and all handling and storage facilities must be cleaned to remove all seeds which might contaminate the crop. It is very important for the grower to thoroughly clean his equipment and to handle the seed in a manner which will maintain the identity of the seed without contamination.

Harvesting machines may be cleaned utilizing (1) a detailed "wet method" for small fields or high value crops where it is not desired to discard any of the seed, or (2) an abbreviated "dry method" for harvesting larger fields where a portion of the seed can be discarded as commercial grain. A checklist form for each method is available from the UCIA and is included in this directory. A UCIA representative may inspect and approve the equipment or collect a checklist that was signed by the grower before harvesting began.

SEED CONDITIONING

Seed intended for certification may be conditioned only in facilities inspected and officially approved by the Utah Crop Improvement Association. Approval is issued on an annual basis which identifies "approved certified conditioners." In order for a facility to be approved, the management must be familiar with certification regulations, keep accurate records of all operations involving certified seed, handle the seed in such a manner to maintain positive identity of the seed and have the facilities and equipment capable of cleaning and processing seed to meet certification standards. A list of approved cleaning plants is located in the front of this Directory.

A commercial or on-the-farm conditioning facility may be used for cleaning specific seed lots upon special inspection and approval of the UCIA.

SEED SAMPLING AND TESTING

A sample of the cleaned (conditioned) seed will be sampled under the direction of a UCIA representative and submitted to the Utah State Seed Laboratory for germination and purity analysis. (Other labs may be used with prior UCIA notification). Sampling and/or testing of Pre-Variety Germplasm seed under the direction of a UCIA representative may be requested, but such seed is normally sold on a pure live seed basis as agreed upon by buyer and seller.

In addition to the germination and purity analysis, all seed lots of barley varieties which pass field certification standards must be tested by the seed laboratory for loose smut (embryo test).

SEALING AND TAGGING FINAL CERTIFICATION

If the seed analysis meets the certified seed standards, certification of the seed may be completed. Certification does not become official until each bag or container is labeled and tagged. Note: Certain lots of seed which do not meet certification standards for factors other than those relating to genetic identity or purity may at the discretion of UCIA be tagged, but must have the word "SUBSTANDARD" written on the tag along with a listing of those factors (e.g., excessive weed seed or low viability) for which the seed does not meet listed Utah certification standards; applicable State and Federal seed law minimums must be met.

Most U.S. states utilize a "two tag system" where the certification tag (or bulk certificate) and the analysis report, tag or label are different entities. The analysis tag or label is required by state law and lists the results of the purity and germination tests performed by the seed laboratory. It offers no proof as to varietal or germplasm identity. The certification tag verifies crop and variety (or species and germ-plasm) identity and lists other information as required for the class or germplasm type of seed.

Tags must be attached in a secure manner. For seed or sod moving in bulk lots or containers (trucks, totes, pallets, rolls, etc.), a certification tag or bulk certificate may be attached to the individual container and/or the shipping invoice, as appropriate, so that the consumer is fully aware of the certification status of the shipment.

For certain high value crops such as alfalfa seed, or reclamation seed, an official metal snap-seal may be provided to affix the tag. Fees for tagging are outlined in the schedule at the end of this summary.

If it becomes necessary to re-clean a lot of certified seed that has been tagged, it is the responsibility of the seed conditioner to contact UCIA for consultation and additional inspections. The lot number must be changed after conditioning (suggest adding an "-R" to signify re-cleaning). After a sample is drawn and the lot re-tested, new certification tags with the new lot number will be re-issued.

NOXIOUS WEEDS

Noxious weeds are not allowed in fields planted for certification. In the event noxious weeds are found on the land after a crop has been planted for certification, they must be under control or rogued out at the time

of inspection. This means noxious weeds must show evidence of having been chemically treated or of cultural practices (mechanical control) that prevent, restrict or eliminate surface growth. The control measures must prevent the development of mature seed. Some leeway is allowed for crops in which seed of certain noxious weeds is easily cleaned out (such as quackgrass in small grains or bindweed in alfalfa or potatoes).

The Utah Seed Law prohibits the sale or distribution of any seed containing prohibited noxious weeds, and limits the number of restricted noxious weeds per pound of seed. Tolerance for prohibited noxious weed seed as well as most restricted noxious weed seeds in certified seed is zero.

Utah Prohibited Noxious Weeds

Bermudagrass*	<i>Cynodon dactylon</i>
Bindweed (Wild Morning-glory)	<i>Convolvulus spp.</i>
Broad-leaved Peppergrass (Tall Whitetop)	<i>Lepidium latifolium</i>
Canada Thistle	<i>Cirsium arvense</i>
Diffuse Knapweed	<i>Centaurea diffusa</i>
Dyers Woad	<i>Isatis tinctoria</i>
Johnson Grass	<i>Sorghum halepense</i>
Leafy Spurge	<i>Euphorbia esula</i>
Medusahead Rye	<i>Taeniatherum caput-medusae</i>
Musk Thistle	<i>Dardus nutans</i>
Quackgrass	<i>Agropyron repens</i>
Russian Knapweed	<i>Centaurea repens</i>
Scotch Thistle	<i>Onopordium acanthium</i>
Spotted Knapweed	<i>Centaurea maculosa</i>
Squarrose Knapweed	<i>Centaurea squarrosa</i>
Whitetop	<i>Cardario spp.</i>
Yellow Starthistle	<i>Centaurea solstitialis</i>

*Bermudagrass (*Cynodon dactylon*) shall not be a noxious weed in Washington County and shall not be subject to provisions of the Utah Noxious Weed Law within the boundaries of that county.

Utah Restricted Noxious Weeds

Dodder	<i>Cascula spp.</i>
Halogeton	<i>Halegeton glomeratus</i>
Jointed goatgrass	<i>Aegilops cylindrical</i>
Poverty Weed	<i>Iva axillaris</i>
Wild Oats	<i>Avena fatua</i>

STANDARDS FOR CERTIFIED SEED

Certified seed must meet certain field inspection standards as well as purity and quality standards after the seed is conditioned. The standards include general rules which apply in all crops and additional sets of special rules for each particular crop or germplasm type being certified. Standards applicable to certified seed are available from the UCIA office or on the UCIA website.

A. Field Standards

The following standards are for the Certified seed

class (suggested standards for pre-variety germplasm types are available from UCIA). For Certified class details and for Foundation and Registered classes (and for Pre-Variety Germplasm) see the complete UCIA Requirements and Standards on the UCIA website.

ISOLATION DISTANCE (from other varieties of the same species or non-certified same variety).

	Minimum Feet
ALFALFA	
Same region of adaptation	165*a
Different regions of adaptation	500
FORBS AND SHRUBS	330*b
GRASSES	
Cross-pollinated species*c	165*a
ONIONS (True Seed Production)	1320
SMALL GRAINS	10*d
SAFFLOWER	1320
GRASSES (Self-pollinating species) & POTATOES	Distinct Separation

*a – No isolation required if 10% or less of the field falls within the isolation zone.

*b – 165 ft for fields of 5 acres or more

*c – See complete standards for details on wheatgrass, squirreltail, and wildrye isolation requirements.

*d – Wheat and triticale must be isolated from jointed goatgrass by at least 25 ft.

OTHER VARIETIES, OTHER CROP KINDS

	Minimum Permitted
ALFALFA	
Other varieties	0.1%*a
Sweet clover	10 plants/acre
FORBS AND SHRUBS	
Other varieties or selections (same species)	1 plant/500*a
Other kinds (different species)	1 plant/500
GRASSES	
Other varieties	0.5%*a
Other grasses	0.5%
POTATOES	
Varietal mixture	0.25%*a
Diseases – See Complete Standards	
SMALL GRAINS	
Other varieties	1 head/10,000*a
Inseparable other crops (ie: Barley in Oats)	1 head/10,000
Rye	None
Wild Oats	None
Jointed Goatgrass	None

Note: Poor appearance, excessive weed growth, poor cultural conditions, extensive disease and insect damage, or severe weather damage may be cause for rejecting a field.

*a Based exclusively on visual observation. Some varieties of some crops are not distinguishable visually since they differ only in characteristics such as yield, disease resistance, and nutritive quality.

B. Seed Standards

Minimum

<u>LABORATORY PURITY (Pure Seed)</u>	Percent
ALFALFA	99.25%
FORBS AND SHRUBS (Varies with species)	10-99%
GRASSES (Varies with grass kind)	85-95%
ONIONS	99.5%
SMALL GRAINS	98.0%

<u>TOTAL VIABILITY</u>	Minimum Percent
ALFALFA	85.0%
FORBS AND SHRUBS (Varies with species)	30-90%
GRASSES (Varies with grass kind)	70-85%
ONIONS	80.0%
SMALL GRAINS	85.0%

<u>OTHER VARIETIES OR SELECTIONS</u>	Maximum Percent
ALFALFA	0.50*a
FORBS AND SHRUBS	0.75*a
GRASSES	1.0*a
SMALL GRAINS	
Diseases – Visible smut balls	Trace
Loose Smut (embryo test)	0.2
Ergot (different species)	0.05

*a These tolerances are not routinely verified by the seed lab since expensive chemical and/or genetic testing is required and is done only by special request. Therefore, liability for exceeded tolerances lies strictly with the original stock seed provider, seed producers, and/or seed conditioner.

*b Total 5 seeds/lb in aggregate for other varieties, off-types, and other small grains that can be differentiated visually.

<u>OTHER KINDS (maximum)</u>	Maximum Percent
ALFALFA	0.3
Sweet clover	90
FORBS AND SHRUBS	0.50
GRASSES	0.50
ONIONS	0.05
SMALL GRAINS	
(other small grains)	5*a
Except Rye	None

*a Total 5 seeds/lb in aggregate for other varieties, off types, and other small grains that can be differentiated visually.

<u>WEED SEED – Non-prohibited (maximum)</u>	Maximum Percent
ALFALFA	0.2
Restricted weeds:	
Dodder	None
Poverty Weed, Halogeton	18
FORBS AND SHRUBS (varies with species)	0.2-0.5
GRASSES	0.3
Restricted weeds:	
Poverty Weed, wild oats	9
Jointed Goatgrass	None
ONIONS	0.05
SMALL GRAINS	

Restricted Weeds	None
Non-Regulated Weeds	.02

PROHIBITED NOXIOUS WEEDS

ALL CROPS None

NOTE: Potato seed standards are based on the U.S. #1 Seed Potato Grade.

C. Tolerance Definition

NONE OR ZERO (0): A tolerance of “none” or “zero” for contaminating or diseased material in either field or clean seed standards means that none were found during the normal procedure of field inspection or seed sampling or seed analysis testing. It does not constitute a guarantee that the field or seed was or is entirely free of the contaminant or disease.

A SUMMARY OF THE SEED CERTIFICATION PROCEDURES

1. Contact the Utah Crop Improvement Association before planting to obtain applications to grow certified seed or sod, or before seed collecting to obtain precollection applications and site identification logs for wild-collected seed.
2. Plant Foundation or Registered seed or proper generation of pre-variety germplasm or vegetatively propagated crops eligible for certification. Save samples of the tags or bulk sale certificate or other documentation to establish proof of seed origin and class.
3. Select clean, weed-free ground. A pre-planting consultation with UCIA is strongly suggested before planting perennial crops. Check certification regulations to see if the field meets all of the requirements such as isolation from other varieties, and crop history of the land for the previous year.
4. Clean the drill and planting equipment (inspection by UCIA representative is optional but is strongly suggested for inexperienced certified growers).
5. Rogue the field for diseased plants, other crops, varieties and weeds.
6. Request a field inspection (or a site inspection for selected or tested wildland sites) by a UCIA representative before harvesting.
7. Clean the combine, bulk trucks and storage areas to remove crop and weed seeds before harvesting certified fields. An inspection of the harvesting equipment by a UCIA representative or grower signature on a UCIA harvesting equipment checklist may be required.
8. Have the seed cleaned only in approved certified seed cleaning plants (or on the farm facilities by special permission).
9. Store certified seed in clean bins, boxes, totes, or

bag in new, clean sacks.

10. A representative of the UCIA will draw a sample for analysis in the Utah State Seed Lab (or other accredited lab by special permission). The results of the seed analysis test will determine compliance with seed standards.
11. To complete the certification process, bags, totes or other containers must be tagged, or bulk certificates issued, or shipping invoices tagged under the supervision of the UCIA.
12. Certain crops or varieties may have special additional requirements and standards, as listed in the official UCIA complete copy.

ADDITIONAL SUMMARY PROCEDURES FOR SOURCE IDENTIFYING WILDLAND COLLECTED SEED

Note: The current (updated March 2015) Pre-Collection Application, Site Inspection Report, and Site Identification Logs (Part I and II) are included in the back of this Directory.

1. Applicant (collector or seed broker/conditioner) must file a separate Pre-Collection Application (PCA) for each species for each state where collected. If this application is received at least two weeks before harvest, there will be no charge. Otherwise, time and mileage fees may be assessed for scheduled inspections. Appropriate land management agency permits or private property permission must be obtained and kept on file. The PCA is to be faxed or mailed (or the fillable form emailed) to the field supervisor in Central/Southern Utah, or the UCIA Office in Logan. **Note:** The applicant may be the seed broker/ conditioner if collectors are under their direct supervision; otherwise the actual collector or agency or private party desiring the site inspection is the applicant.
2. When filling out a Pre-Collection Application, please make sure the GPS coordinates listed coincide within at least 100 ft. of actual plants of the species to be collected. If GPS coordinates of the site are estimated from Google Earth, give additional on-the-ground instructions so the stand can be found without undue searching. In either case, give the inspector an idea the size of the seed collecting site so that harvested seed yields can be verified.
3. UCIA Representatives (UCIA Rep) will inspect the site, coordinating as possible with the applicant listed on the PCA. A Wild Collected Certification Number (WC #) will be assigned at this time,

which will follow the seed lot through the whole process. When inspection of the site is completed, the date, approval or rejection of site, comments, and signature of the UCIA Rep will be filled out on the PCA. Site inspection results will be sent via phone, text message, fax, or email to the applicant, and the \$50 site inspection fee will be billed. Seed collection before receipt of inspection results from UCIA may delay tags or void approval of SID Log Part 1.

4. If a broker/conditioner purchases seed from an independent collector without having first filed a PCA, the seed still may be source identified. However, the broker/conditioner and/or the collector must arrange with the UCIA Rep to make a special post-harvest trip to the collection site for a site inspection and additional time and mileage charges may apply.
5. The applicant is responsible to fill out the Site Identification Log (SID Log Part 1) after PCA approval and seed harvest. If needed, a UCIA Rep may be consulted for help in completing this form. Information required includes site location information (matched with the PCA), amount of bulk seed collected on the site, date(s) when seed is conditioned, and signature. In rare cases for SID Log Part 1 but usually for SID Log Part 2, (Part 2 is for seed to be planted for field production) a "dirt" sample of the collected seed, plant samples, and photos of the site are required. The UCIA Rep will inform the applicant when this is necessary.
6. Source Identified (yellow) tags will be sent to the applicant from the UCIA Logan Office according to the number of tags requested on a given date on the SID Log; additional tags may be requested on subsequent dates until the lot is gone. Purity and viability results for the seed lot are not criteria (except by special request from a seed purchaser) for SI tag eligibility since most seed is sold on a PLS basis, however seed samples will be taken by a UCIA Rep upon request of the applicant. Tags may be attached to all the bags in the lot immediately or kept in a file and attached as all or part of the lot is sold.
7. For certain high value or critical lots (at UCIA discretion and/or by request of buyer or seller), a metal UCIA seal may be clamped to the strings sewed on bags after seed sampling by a UCIA Rep, and/or when tags are attached.

FEES 2020

UTAH CROP IMPROVEMENT ASSOCIATION

APPLICATION, MEMBERSHIP, ACREAGE AND SITE INSPECTION FEES

1. **APPLICATION FEE:** A \$15 application fee is assessed for each field/crop/class combination on a given farm each crop year and includes membership in UCIA for one individual. A "farm" shall be defined as any parcel or parcels of land operated by one or more individuals using the same equipment and operated as a unit. A crop year is normally defined as the calendar year in which the crop is grown to maturity. A wildland seed collector or broker/conditioner becomes a member upon completing a Site Identification Log as "applicant" and paying the \$50 Site Inspection fee.

A \$38 fee is assessed annually for the "Approved Certified Conditioner" application and includes UCIA membership for one company representative. All seed companies that condition certified seed, obtained from other seed growers or wildland collectors, must be an approved conditioner for the crops they are conditioning.

2. **FIELD INSPECTION ACREAGE FEES:** The following fees per acre for field inspection are to be added to the application fee for each crop, variety and/or class:

CROPS	FEES PER ACRE* ^a
ALFALFA (or other perennial legumes)	\$3.00* ^b
BEAN (or other annual legumes)	\$5.25* ^c
GRASS, FORB, SHRUB (including field grown Pre-Variety Germplasm)	\$3.00* ^b
MINT	\$3.00 Propagation* ^b
ONION	\$4.50* ^d
POTATO	\$8.25* ^e
SMALL GRAIN, SAFFLOWER	\$3.00* ^f
WILD COLLECTED SEED	\$50.00 per site* ^g
SOD, seeded or vegetative	\$5.00 seedling; \$15.00 established* ^h

- *^a Reseeding Fees: If reseeding is necessary on a field or portion of a field, an additional acreage fee may be charged for the field or portion of the field to cover costs of the necessary re-inspections of field, seed, equipment, and stand.
- *^b Non-Production Fees: If a grower knows in advance that he does not desire to produce seed on an established certified-eligible field planted with a perennial crop in a given year but wishes to keep the field eligible for future certification, an application with the "Application Fee" only may be submitted. This option does not apply during the seedling year.
- *^c Includes field and windrow inspection.
- *^d Includes winter bulb inspection.
- *^e Includes two field inspections and potato storage inspection. Winter grow-out entails additional fees.
- *^f Imazimox tolerant wheats will be charged and extra \$1.00 per acre due to implementation of additional requirements and standards.
- *^g This fee is paid by the applicant as listed on the Pre-Collection Application. Site inspection is conducted before, during, or post-harvest utilizing GPS coordinates, and/or accompaniment with collector to the site, upon which a Site Inspection Report will be signed by the UCIA Rep and the \$50 fee charged. If a separate site inspection by a UCIA representative before and/or during harvest is requested by a seed buyer or broker/conditioner or is deemed necessary for verification of the site identification log, time and mileage fees may be charged.
- *^h The \$5.00 fee applies to the seedling inspection. The \$15.00 fee applies to preharvest inspection for established fields and includes all certification tags and harvest oversight necessary to complete the certification process. Time and mileage may be charged for small fields.

UTAH CROP IMPROVEMENT ASSOCIATION

TAGGING AND BULK CERTIFICATION FEES

NOTE: When the crop from any field passing the pre-harvest field inspection is sold for seed, UCIA reserves the right to collect the tagging and bulk certification fees for such seed, whether or not certification is completed (sealing and/or tagging, or bulk certificates written). This ensures that UCIA services are not wasted and encourages completion of certification of high quality seed available to consumers.

CROPS	FEES *a
ALFALFA (OR other perennial legumes)	\$1.05/cwt*a
BEAN	\$.38/cwt*a
FORB, SHRUB (Field Grown)	\$7.50/cwt*b
GRASS	\$3.00/cwt*c
MINT	Rootstock*d
ONION	\$7.50/cwt
POTATO	\$.15/cwt
SAFFLOWER	\$.25/cwt
SMALL GRAIN	\$.15/cwt*a
WILD COLLECTED SEED	\$12.00/cwt

*a Fees charged on clean seed weight of lot (\$15 minimum per seed lot); tags and/or bulk certificates supplied as needed. Seed involved in interagency certification (seed grown or collected in one state but transported to another state for conditioning and/or tagging) must be accompanied by a "Transfer of Seed Pending Certification" certificate. Certification agencies in 11 Western states participating in interagency certification are listed on the following page. It is the intent of the UICA that the total fees charged for the transfer certificate in the state of origin and the tagging fees in the state of destination shall approximate total UCIA fees (application, acreage or SI log, and tagging fees) had the seed been both produced and tagged in Utah.

*b Production over 100 lb/a will be charged at \$3.75/cwt.

*c Production over 250 lb/a will be charged at \$1.50/cwt.

*d Rootstock inspection and tagging fees will be assessed on an individual basis to reflect UCIA costs involved.

WESTERN STATES CERTIFICATION AGENCIES

Patrick Mulligan
Alaska Seed Growers Association

PO Box 895
Palmer AK 99645

Phone: (907) 745-4004
Fax: (907) 745-4728

Abed Anouti
Arizona Crop Improvement
University of Arizona-North
2120 East Allen Road
Tucson AZ 85719-1522
Phone: (520) 305-3586
Fax (520) 305-3587
Email: anouti@ag.arizona.edu

John C. Palmer
California Crop Improvement Association
Parsons Seed Certification Center
University of California
One Shields Ave
Davis CA 95616-8540
Phone: (530) 752-0544
Fax: (530) 752-4735
Email: jcpalmer@ucdavis.edu

Rick Novak
Colorado Seed Growers Assn
Colorado State University
Dept of Soil and Crop Sciences
Fort Collins CO 80523
Phone: (970) 491-6202
Fax: (970) 491-1173
Email: csga@agsci.olistate.edu

Karli Taniguchi-Strom
Hawaii Dept of Ag
1851 Auiki Street
Honolulu, HI 96819-3100
Phone: (808) 832-0711
Fax: (808) 832-0683
Email: Karli.m.taniguchi@hawaii.gov

Doug Boze
Idaho Crop Improvement Assn
429 SW 5th Ave, Suite 105
Meridian ID 83642
Phone: (208) 884-8225
Fax: (208) 884-4201
Email: dboze@idahocrop.com

Steve Schuler
Kansas Crop Improvement Association
2000 Kimball Ave
Manhattan KS 66502-3352
Phone: (785) 532-6118
Fax: (785) 532-6551
Email: sfskcia@kansas.net

Montana Seed Growers Assn
Montana State University/Marsh Lab
PO Box 173146
Bozeman MT 59717-3146
Phone: (406) 994-3516
Fax: (406) 994-1725
Email: hunverzagt@montana.edu

Russell Wilhelm
Nevada State Department of Agriculture
405 South 21st Street
Sparks NV 89431
Phone: (775) 353-3711
Fax (775) 353-3713
Email: rwilhelm@agri.nv.gov

Cary Hamilton
NMSU Seed Certification
New Mexico State University
PO Box 30003, MSC 3 Ley
Las Cruces NM 88003-8003
Phone: (575) 646-2281
Fax: (575) 646-8137
Email: chami@ad.nmsw.edu

Andrew Altishin
Oregon Seed Cert Service
Oregon State University
31 Crop Science Bldg.
Corvallis OR 97331-3003
Phone: (541) 737-4513
Fax: (541) 737-2624
Email: sc-office@oregonstate.edu

Lauren Port
Washington State Crop Improvement
2575 NE Hopkins Ct
Pullman WA 99163
Phone: (509) 334-0461
Fax: (509) 334-6809
lauren@washingtoncrop.com
(contact for small grains, beans, peas)

Paula Moore
Washington State Dept. of Agriculture
21 N 1st Ave, Suite 203
Yakima WA 98902
Phone: (509) 249-6950
Fax: (509) 454-4395
Email: pmoore@agr.wa.gov
(contact for alfalfa, grasses, wildland species)

Mike Moore
Wyoming Seed Certification
University of Wyoming
PO Box 983 (109 West 14th Street)
Powell WY 82435
Phone: (307) 754-9815
Fax (307) 754-9820
Email: mdmoore@uwyo.edu

Heather Unverzagt

UTAH CROP IMPROVEMENT ASSOCIATION



UTAH STATE UNIVERSITY
4855 Old Main Hill
Logan, Utah 84322-4855
435-797-2082, Fax 797-3376

APPLICATION FOR CERTIFICATION FOR ANNUAL CROPS AND SEEDLING PERENNIAL CROPS

OFFICE USE

Date Rec'd _____
Fees Pd _____
Cert. # _____

PLEASE USE SEPARATE APPLICATION FOR EACH COMBINATION OF VARIETY / GERMPLASM / CLASS / GENERATION

Grower _____	Contractor* _____ (if applicable)
Mailing Address _____ Ph. _____	Mailing Address _____ Ph. _____

*Required only if Contractor pays application and acreage fees and/or if the variety is licensed, in which case the Contractor (and/or Licensor) must approve final disposition of seed.

Crop _____ Variety _____ PVP Variety? ☐ Yes ☐ No

Class Planted _____ Acres _____ Fee/Acre _____ Appl. Fee _____ Total _____
(B,F,R,C or S(G?), S(G?), T(G?)) (see fee schedule)

Seed Origin _____ Cert. # _____ Lot# _____ Purchased From _____
(State) (attach tags or other info)

Seed Planted _____ on _____ Previous crops in field(s) (1) _____
(lb. or bu.) (date) (last crop)

(2) _____ (3) _____

Field Location _____ (county) (miles) (NE,S,W) From _____ (nearest town or landmark)

North --A--	North --B--
MAP OF FIELD(S) Use square A to draw location of field(s) from nearest town or landmark and square B to show detail, orientation, and dimensions of field(s). Label landmarks such as houses, roads, ditches, pumps, etc. OR, attach 2 copies of farm map or FSA aerial map with field(s) drawn in.	

I hereby apply for certification for the above field(s) and for membership in the Utah Crop Improvement Association. I agree to pay certification fees and abide by all of the regulations governing certification in Utah (summary available upon request).

DUE DATE: May 15 for small grains, June 15 for other crops.

Accepted with \$100 late fee within 15 days after due date.

Signed _____ (Grower) _____ (Date) _____ (Contractor*) _____ (Date)

WHITE Copy to UCIA Office YELLOW Copy to UCIA Representative PINK Copy to Grower

SEED CERTIFICATION AGENCY (SCA)
 UTAH CROP IMPROVEMENT ASSOCIATION
 4855 OLD MAIN HILL
 UTAH STATE UNIVERSITY
 LOGAN UT 84322-4855
 Phone: (435) 797-2233 or 2082; Fax: (435) 797-3376
 Email: keren.williams@usu.edu

**Certified Seed
 PRE-COLLECTION APPLICATION¹
 and SITE INSPECTION REPORT¹
 for Wildland Collected Seed**

Seed Company _____
 Applicant Name _____ Phone _____ Fax _____
 Address _____ Cell _____ Email _____
 Species Name _____ Common Name _____
 State Where Collected _____ Possible Collection Sites to be Inspected:² _____ Fees³ _____

Site Name⁴ _____ Ownership/Size⁴ _____
 Est. Harvest Date(s) _____ Lat. _____ Long. _____
 Comments: _____
 Date Inspected: _____ Approved: ☐ Yes ☐ No UCIA Signature _____
 Comments: _____
 UCIA Cert #: _____ Inspection Fee: _____ Late Fee³: _____ Call before site inspection⁵ ☐ Yes ☐ No

Site Name⁴ _____ Ownership/Size⁴ _____
 Est. Harvest Date(s) _____ Lat. _____ Long. _____
 Comments: _____
 Date Inspected: _____ Approved: ☐ Yes ☐ No UCIA Signature _____
 Comments: _____
 UCIA Cert #: _____ Inspection Fee: _____ Late Fee³: _____ Call before site inspection⁵ ☐ Yes ☐ No

Site Name⁴ _____ Ownership/Size⁴ _____
 Est. Harvest Date(s) _____ Lat. _____ Long. _____
 Comments: _____
 Date Inspected: _____ Approved: ☐ Yes ☐ No UCIA Signature _____
 Comments: _____
 UCIA Cert #: _____ Inspection Fee: _____ Late Fee³: _____ Call before site inspection⁵ ☐ Yes ☐ No

¹ The pre-collection information must be completed and sent to David Brinkerhoff (contact information below), or to the UCIA Office (contact information above) before seed collection. Site inspection results will be recorded on this form in the space provided and emailed back to the applicant. The applicant may also request that the information be sent via phone, text message, or fax as needed. Seed collection before receipt of inspection results from UCIA may delay tags or void approval of SID Log Part 1.

² Enter information for each collection site within a given state for the listed species. Site location information will be held confidential by the UCIA.

³ There is no up-front charge for this application; the basic site inspection fee (see current UCIA Directory) is incurred upon completion of the site inspection as initiated by this application. For applications received less than two weeks before harvest and/or for sites outside of Utah, the inspection fee may include additional time and mileage charges. Late applications will be charged a \$100 late fee.

⁴ Each location must be identified by a site name (preferably related to geographical features such as a mountain range, drainage, road, town, county, etc.). Specific stands to be collected must be sufficiently identified by GPS readings (decimal degrees, plus on-the-ground instructions to find target plants if not within 100 ft radius of readings), approximate site size (acres or other area measure), and estimated harvest period (start and end dates) so that proper verification of the species and potential seed amounts can be evaluated. UCIA inspection does not necessarily verify site ownership as listed by applicant, but permit and/or permission documents must be available upon request from applicant. Site size shall not exceed one township (approx. 23,040 acres). Include a map and description (attach or list on form) of the area.

⁵ Indicate if you would like a phone call beforehand to notify you of UCIA's intent to inspect the site, thus allowing you to withdraw the application with no inspection fees charged.

I hereby apply for certification of wildland collected plant material from the above-described site(s). I agree to abide by all of the rules and regulations governing certification according to the Utah Crop Improvement Association under the auspices of AOSCA, the Association of Official Seed Certifying Agencies.

Applicant Signature _____ Application Date: _____

Email: david.brinkerhoff@usu.edu; Cell (435) 799-5038

4/25/2018

SEED CERTIFICATION AGENCY (SCA) UTAH CROP IMPROVEMENT ASSOCIATION (UCIA) 4855 OLD MAIN HILL UTAH STATE UNIVERSITY LOGAN UT 84322-4855 Phone: (435) 797-2082 or 2233; Fax: (435) 797-3376 Email: ucia@usu.edu	Certified Seed SITE IDENTIFICATION LOG, PART 1 for Wildland Collected Material Intended for Direct Sale and Revegetation Outplanting
---	---

Applicant¹ _____ Cert. # _____
 _____ From PCA/Site Insp. Report

Address _____ Tagging Fee² _____

Phone/Cell _____ Permit/Contract/Permission³ Public ☐ Private ☐

Species Name _____ Common Name _____

Germplasm ID⁴ _____ Material Collected _____ Amount _____
 e.g., seed, cuttings, etc. Bulk lb or volume

Species as Collected Indigenous to: ☐ Site ☐ County ☐ State ☐ Nonindigenous ☐ Unknown

Germplasm Category ☐ Source Identified ☐ Selected ☐ Tested ☐ Variety

Date(s) Collected _____ State _____ County _____ Elevation _____

Site Name (As Listed on PCA/Site Insp. Report) _____

Geographic Seed Zone⁵ _____

Uncleaned Sample Taken By⁶ _____ Plant Specimen Provided by⁷ _____

Conditioner Lot # _____ Date(s) Conditioned _____ Clean Seed lb _____
 Anticipated total for lot # _____

I attest to the best of my knowledge, all above information is correct and collection documents³ are on file.

 Signature of Applicant Date _____

Tags This Order _____ #lb/Bag _____ #/lb. _____ Approved ⁸ _____
 _____ Date, Initials of UCIA Rep.

- ¹ This form is to be completed by the applicant (collector/conditioner/vendor/agency) who requests certification tags for this seed lot. It is initiated after the site is inspected by UCIA in response to a Pre-Collection Application (the PCA applicant may or may not be the applicant requesting tags).
- ² Tagging fee (see current UCIA Certified Seed Directory) is charged per pound of clean seed represented by this tag order.
- ³ Maintain file of permits, contracts, or permission forms or letters for potential review by law enforcement and/or legal entities to verify seed ownership for this seed lot. Seed collected on public or private lands not covered by applicable documents may not be eligible for tagging by the UCIA.
- ⁴ Variety name or germplasm ID (specific term, site name, or number) if one is given by the collector or public or private germplasm developer (e.g., Gold Strike variety or Nugget Gulch germplasm bluebunch wheatgrass). Leave blank if none given.
- ⁵ List provisional, empirical, or other geographic seed zone collection area notation as required by seed user to be on the tag.
- ⁶ If requested by UCIA, an uncleaned sample of seed collected must be filed with this log to represent each field lot.
- ⁷ If requested by UCIA, a pressed, dried plant specimen must be filed with this log to aid in identification and/or provide herbarium displays for critical species.
- ⁸ Certification tags for wildland collected Source Identified, Selected, or Tested seed lots are issued on the basis of geographic source and species identity only; varieties additionally must meet minimum seed standards (contact UCIA). Purity and viability analysis and labeling for seed law compliance is the sole responsibility of the vendor. Specific requests or contracts by seed users may require sampling or additional mechanical standards oversight by the UCIA.

Original to Certification Agency • Photocopy for Seed Collector/Vendor/Conditioner Records

3/9/2015

SEED CERTIFICATION AGENCY (SCA)
UTAH CROP IMPROVEMENT ASSOCIATION
4855 OLD MAIN HILL
UTAH STATE UNIVERSITY
LOGAN UT 84322-4855
Phone: (435) 797-2082

Certified Seed
SITE IDENTIFICATION LOG, PART 2
for Wildland Collected Material
Utilized for G₀ Stock Seed¹

Germplasm ID _____ Inspection Fee² _____ Appl/Cert # _____
Applicant³ _____ \$10 minimum Field Lot # _____
Address _____ Phone/Cell _____
Species Name _____ Common Name _____
Plant Specimen(s) Provided By⁴ _____
Collector, Applicant, or Cert. Agency Rep.
Site Photographs Provided By⁵ _____
Collector, Applicant, or Cert. Agency Rep.
Species Distribution on Site⁶ _____ Soil Texture/Type⁷ _____
Percent of Species Population Collected From _____% Were Specific Plants Intentionally Selected to Collect
From? _____ If Yes, Describe the Plant Characteristics Selected for _____
Site Physical Characteristics⁸ _____

Associated Plant Species _____
List natives and exotics

Generations Permitted Beyond G₀⁹ _____ Length of Stand⁹ _____

¹ Complete this form in addition to Site Identification Log, Part 1, for wildland collected seed or other propagating material that is to be utilized for a) establishing Generation 1 production fields or orchards or b) strictly controlled ecosystem restoration projects. The purpose of this form is to provide further information regarding distribution of species, selectiveness in collection, and physical characteristics of site and associated species.

² If all information is provided at the time of original collection site inspection, then the minimum fee applies. Otherwise, time/mileage fees will be assessed (\$50 minimum) if additional visit to site by SCA is required.

³ Applicant is person desiring to utilize this wildland collected accession as stock seed (or other propagative material) for field increase, and is not necessarily the same person listed as the collector and/or seed broker/conditioner listed on the SIL, Part 1.

⁴ All species must have a pressed, dried plant specimen (more than one if species population is heterogeneous) submitted when material is to be used for stock seed and/or for user specified restoration purposes. A fee surcharge may apply if specimen(s) is provided by SCA Rep.

⁵ Photo documentation must include a closeup shot(s) where individual plants of species are clearly defined, as well as a more distant shot(s) that shows details of the plant community and site geography. Attach photos or contact Certification Agency to arrange transmittal of digitized images. A fee surcharge may apply if photo is provided by SCA Rep.

⁶ Indicate how species collected is distributed on the site (e.g. patchy, uniform, abundant, sparse, etc.).

⁷ Indicate the soil texture/type the species on the site is growing on; describe in terms (or combination of terms) of coarse (sand, gravel), medium (loam), fine (clay), or organic (decayed plant material).

⁸ Indicate whether site appears natural, or describe any recent disturbance (e.g., fire, overgrazing, road cut, clear cut, chaining, etc.); describe local landscape features (e.g., rocky outcropping, pond, road or fenceline, slope, aspect, etc.) and ecosystem vegetation type (e.g., wetland, upland meadow, salt desert, coniferous forest, sub-alpine, etc.).

⁹ This is normally a decision made jointly by the applicant, certification authority, and plant scientists familiar with the species ontogeny and reproductive type. For marketing purposes, the generation listed on the tag may be downgraded such that the seed would not be eligible for stock seed purposes. The tag may list both the generation of the tagged material and the number of generations permitted, e.g. G2/G4.

I attest that all the above information is correct and hereby apply to utilize this G₀ wildland collected seed for certified field production.

Applicant _____ Date _____

Original to SCA • Photocopy for Applicant Records

6/18/02



HARVESTING EQUIPMENT Cleanup Check List

UTAH CROP IMPROVEMENT ASSOCIATION
UTAH STATE UNIVERSITY
Logan, UT 84322-4855
(435) 797-2082 • Fax (435) 797-3376



- I. Grower _____ County _____
- II. Crop and Variety _____ Cert. # _____
- III. Previous crop and variety harvested with equipment _____
- IV. Check box when appropriate items completed:
- A. Combine
- | | |
|--|---|
| <input type="checkbox"/> 1. Open sieves and cleanout doors | <input type="checkbox"/> 3. Run machine in place at field RPM 2-3 minutes |
| <input type="checkbox"/> 2. Increase air flow to maximum | <input type="checkbox"/> 4. Stop Machine, shut down engine |
- WET METHOD***
5. Thoroughly flush with water (the more volume and pressure the better) from the top down:
- | | |
|--|--|
| <input type="checkbox"/> a. Grain tank and unloading auger | <input type="checkbox"/> a. Grain tank and unloading auger |
| <input type="checkbox"/> b. Cylinder and concave areas | <input type="checkbox"/> b. Cylinder and concave areas |
| <input type="checkbox"/> c. Straw rack and grain sieves | <input type="checkbox"/> c. Straw rack and grain sieves |
| <input type="checkbox"/> d. Header and feeder areas | <input type="checkbox"/> d. Header and feeder areas |
| <input type="checkbox"/> e. Cross augers and grain elevators | <input type="checkbox"/> e. Cross augers and grain elevators |
- ☐ 6. Dry out, reset sieves and air flow, proceed to combine
- DRY METHOD***
5. Brush, blow or vacuum from the top down:
- | | |
|--|--|
| <input type="checkbox"/> a. Grain tank and unloading auger | <input type="checkbox"/> a. Grain tank and unloading auger |
| <input type="checkbox"/> b. Cylinder and concave areas | <input type="checkbox"/> b. Cylinder and concave areas |
| <input type="checkbox"/> c. Straw rack and grain sieves | <input type="checkbox"/> c. Straw rack and grain sieves |
| <input type="checkbox"/> d. Header and feeder areas | <input type="checkbox"/> d. Header and feeder areas |
| <input type="checkbox"/> e. Cross augers and grain elevators | <input type="checkbox"/> e. Cross augers and grain elevators |
- ☐ 6. Proceed to combine; keep separate first 50 bushels to market as commercial or feed grain, **not seed**
- B. Seed hauling and handling -- Flush, blow, brush or vacuum:
- | | |
|--|--|
| <input type="checkbox"/> a. Grain beds or trucks or trailers | <input type="checkbox"/> c. Storage bins or boxes |
| <input type="checkbox"/> b. Augers or elevators | <input type="checkbox"/> d. Sacks or bags (if not new) |
- V. ☐ Cleanup procedure was followed

_____ Signature of Cleaner/Technician and/or Grower	_____ Date
Approved By: _____ Signature of UCIA Representative	_____ Date

*Use Wet Method for small fields and/or high value crops; use Dry Method for larger fields and/or lower value crops where a portion of the seed can be discarded as commercial feed grain.

WHITE Copy to UCIA YELLOW Copy to Grower

Utah Crop Improvement Association
Utah State University
4855 Old Main Hill
Logan UT 84322-4855



UICA WEBSITE: www.utahcrop.org